

silken
COLLECTION



SUBWAY
TILES®

endless possibilities



Features & Advantages



Chemical
Resistance



Heat & Fire
Resistance



Abrasion
Resistance



High Tensile
Strength



Less Water
Absorption



Environment
Friendly

silken
COLLECTION



cloudy charm

Embrace the cloudy tone that brings
a soothing atmosphere to decor.

silken
COLLECTION

100x300mm

Velvet Matt Surface

8mm Thickness



Silken Cloud Base



Silken Cloud Decor

silken
COLLECTION



Glorious Shade

Witness the light bluish glacier tone
that brings an opulent feel to walls.

silken
COLLECTION

100x300mm

Velvet Matt Surface

8mm Thickness



Silken Glacier Base



Silken Glacier Decor

silken
COLLECTION



Opulent Opal


Cherish the soft white opal tone that
brings a refined and luminous feel to walls.

silken
COLLECTION


100x300mm

Velvet Matt Surface

8mm Thickness



Silken Opal Base



Silken Opal Decor

silken
COLLECTION



Pure Peony

Experience a gentle peony tone that adds warmth and understated luxury to walls.

silken
COLLECTION

100x300mm

Velvet Matt Surface

8mm Thickness



Silken Peony Base



Silken Peony Decor

silken
COLLECTION



Pistachio Vibe

A balanced pistachio tone designed
to uplift interiors with subtle freshness.

silken
COLLECTION


100x300mm

Velvet Matt Surface

8mm Thickness




Silken Pistachio Base



Silken Pistachio Decor

silken
COLLECTION



Sunlit Yellow

A gentle yellow tone inspired by sunlight
creating uplifting and welcoming spaces.

silken
COLLECTION

100x300mm

Velvet Matt Surface

8mm Thickness



Silken Sunbeam Base



Silken Sunbeam Decor

silken
COLLECTION

100x300mm

Velvet Matt Surface

8mm Thickness



Solken Wheat Base



Solken Wheat Decor



Solken Wheat Base & Solken Wheat Decor

100x300mm | Velvet Matt Surface

TECHNICAL SPECIFICATION

	ISO 13006 2018 BILL	SUBWAY TILES
Deviation in Length	+ 0.3%	+ 0.2%
Deviation in Thickness	+ 0.5%	+ 0.3%
Straightness of Sides	+ 0.3%	+ 0.2%
Rectangularity	+ 0.3%	+ 0.2%
Surface Flatness	+ 0.4%	+ 0.4%
Water Absorption	≥ 10%	≥ 10%
Thermal Shock	10 Cycle	10 Cycle
Crazing Resistance	2 Cycle	No Crazing - Upto 3 Cycles
Chemical Resistance	Resistance	Resistance
Chemical Resistance	to all alkalies (excepts Hydro Flouric acid)	to all alkalies (excepts Hydro Flouric acid)

PACKING DETAILS

Dimension	Tiles per Box (Pcs.)	Area Coverage per Box (Sq.Ft.) Approx	Area Coverage per Box (sq.Mt.) Approx	Weight per Box (Kg.) Approx	Thickness(mm) Approx
100x300mm	33	10.76	0.99	13.00	8.00

Note:

- 01) Size/shade variation is inherent in ceramic tiles, in case of any complain its should be brought to our dealer's notice before laying the tiles
- 02) Color Shown are indicative only. Check actual tiles for exact color.
- 03) The information contained in this catalogue are accurate as possible, but cannot be contained as legally binding.
- 04) Customers are advised to inspect a sample of the tiles before ordering.
- 05) The company reserved the right to change the specification without prior notice.

Product Applications:

							
Hospital	Mall	Religious Place	Theater	House	Discotheques	Airport	Café / Bar